HANDLER ID

The identifier that sticks with a given piece of land, regardless of owner or operator

HANDLER NAME

For Owner/Operator records, this is the "then current name"; for Handler records, this is the "current name."

SOURCE_TYPE

Indicated the source of this line of data, according to these codes:

- N = Notification
- A = Part A
- I = Implementer
- R = Annual/Biennial Report
- B = Annual/Biennial Report updated with Notification'
- E = Emergency
- T = Temporary
- U = Unknown

OWNER OPERATOR INDICATOR

- "C" indicates "Current" as of this line's date
- "P" in the first column indicates this line refers to a Previous (not current) owner or operator
- "O" indicates this line refers to an "Owner"
- "P" in the second column indicates this line refers to an "oPerator"

OWNER OPERATOR NAME

Name of the then-current Owner or Operator, depending on which is indicated by the OWNER_OPERATOR_INDICATOR.

ODATE BECAME CURRENT

A date supplied on the 8700 form establishing Owner or Operator status.

ODATE ENDED CURRENT

A date sometimes supplied on the 8700 form establishing Owner or Operator status.

HRECEIVE DATE

The date the regulatory agency receives an 8700 form.

HACKNOWLEDGE DATE

A date sometimes filled in by the regulatory agency, in response to receiving an 8700 form.

LAST CHANGE

The date this line of data was last altered inside RCRAInfo. This is sometimes the date it was entered, but it can also be the date an edit was made in the database, or the date entire data tables were redesigned during an upgrade.

NOTES

A field available to the regulatory agency for notes related to this line of data. Sometimes it is filled in with facility supplied information.

```
select
from
 (select
 handler id,
 handler_name,
 source type,
 "owner_operator_indicator,
  " owner_operator_name,
 " odate_became_current,
  " odate ended current.
 to_char(receive_date, 'YYYY-MM-DD') hreceive_date,
 to_char(acknowledge_date, 'YYYY-MM-DD') hacknowledge_date,
 last_change,
 notes
 from
 hhandler5
 where
 activity location = 'NC'
 and receive_date >= '01 JAN 1996') union
 (select
 howner_operator5.handler_id,
 handler name,
 howner_operator5.source_type,
 owner operator indicator,
 owner operator name,
 to_char(date_became_current, 'YYYY-MM-DD') odate_became_current,
 to_char(date_ended_current, 'YYYY-MM-DD') odate_ended_current,
 "hreceive_date,
  " hacknowledge date,
 howner_operator5.last_change,
 howner_operator5.notes
 from
 howner_operator5,
 hreport_univ5
 where
 howner_operator5.activity_location = 'NC'
 -- and receive_date >= '01 JAN 1996' -- (some are blank)
 and howner_operator5.handler_id = hreport_univ5.handler_id)
```